

**Workforce Information Database Lay Title Files
August 2010**

laytxocc This table contains one record for each lay title and the associated occupation codes.			
Column	Type	Constraint	Description
stfips	char(2)	Primary Key 1,2	State FIPS code.
codetype	char(2)	Primary Key 2	Code describing the occupational code.
code	char(10)	Primary Key 2	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
laytlcode	char(5)	Primary Key 3	Code associated with a particular lay title
Constraint Information			
1 Foreign Key (areatype.stfips) references (stfipstb.stfips)			
2 Foreign Key (laytitle.stfips, laytitle.occodetype, laytitle.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)			
<p align="center"><u>Note:</u> <u>If occodetype is:</u> <u>Then occcode refers to a:</u></p> <p align="center">01..... Cluster code</p> <p align="center">02..... OES code</p> <p align="center">03..... CIP code</p> <p align="center">04..... DOT code</p> <p align="center">06..... Census code</p> <p align="center">07..... CIDS code</p> <p align="center">08..... SOC code</p> <p align="center">09..... State specific code</p> <p align="center">11..... MOS code</p> <p align="center">12..... O*NET code</p>			
3 Foreign Key (laytxocc.laytlcode) references (laytitle.laytlcode)			

laytitle This table contains one record for each lay title.			
Column	Type	Constraint	Description
laytlcode	char(5)	Primary Key	
laytitle	char(130)		Lay title associated with an occupation.
Constraint Information			
NA			

NOTE: The value for the LAYTLCODE variable is recalculated with each release of the database. The code associated with any title may change from one release to the next.