ALMIS Database Lay Title File Revision
August 2006

laytxocc This table contains one record for each lay title and the associated occupation codes.

Column	Type	Constraint	Description
stfips	char(2)	Primary Key 1,2	State FIPS code.
codetype	char(2)	Primary Key 2	Code describing the occupational code.
code	char(10)	Primary Key 2	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
laytlcode	char(5)	Primary Key 3	Code associated with a particular lay title

Constraint Information

1 Foreign Key (areatype.stfips) references (stfipstb.stfips)
2 Foreign Key (laytitle.stfips, laytitle.occodetype, laytitle.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)

Note:

If occodetype is:	Then occcode refers to a:
01.....	Cluster code
02.....	OES code
03.....	CIP code
04.....	DOT code
06.....	Census code
07.....	CIDS code
08.....	SOC code
09.....	State specific code
11.....	MOS code
12.....	O*NET code

3 Foreign Key (laytxocc.laytlcode) references (laytitle.laytlcode)

laytitle This table contains one record for each lay title.

Column	Type	Constraint	Description
laytlcode	char(5)	Primary Key	
laytitle	char(130)		Lay title associated with an occupation.

Constraint Information

NA

NOTE: The value for the LAYTLCODE variable is recalculated with each release of the database. The code associated with any title may change from one release to the next.